WELDING JOURNAL INDEX

VOLUME 45—1966

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 345 EAST 47TH ST., NEW YORK, N.Y. 10017

Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the Practical Welder and Designer, news, biographical items, current welding literature and advertising.

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry, also papers presented at National Meetings.

WELDING JOURNAL

SUBJECT INDEX

*All-Welded Brass Cylinders, 925–926 (Nov).
Aluminum on S-IC Booster Program, Gas Tungsten-Arc Spot Welding 2219—A. LANG and T. RUTKAY, 502–508 (Jun).
Application of T-1 Steel in Pressure Piping—H. J. STOCK, 909–917 (Nov).
*Auto Camshaft Regrinder Solves Problem Using Hardsurfacing, 844 (Oct).
*Auto Radio Manufacturer Trims Costs with Stud Welding, 40 (Jan).
Automated Plasma Arc Welding for Aerospace and Cryogenic Fabrications—H. R. MILLER and S. P. FILIPSKI, 493–501 (Jun).
*Automatic Feed Stud Welding System Saves Time in Cyclone Furnace Restudding, 1003 and 1006 (Dec).
Automation of the Gas Tungsten-Arc Spot Welding Process—E. P. VILKAS, 30–36, (Jan); 410–416 (May).

Beryllium-Copper Structures, Welded—B. M. MACPHERSON, 183–190 (Mar).
*Bi-Metal Design on Cane Cutters Increases Service Life, 134 (Feb).
*Big Wheels Cast-Welded to Meet Rigid Service Specifications, 512 (Jun).
*Brass Cylinders, All-Welded, 925–926 (Nov).
*Brass, Human Figures Created from, 600 (Jul).
*Brazing in Cryogenic Applications, Valve Maker Uses Stainless, 425 (May).
*Brazing Process Meets Aerospace's Special Requirements, New Bi-Metallic, 510–511 (Jun).
*Brazing Solves Problems in Creating Metal Sculpture, 601 (Jul).

Cladding and Overlay Welding with Strip Electrodes—H. C. CAMPBELL and W. C. JOHNSON, 399–409 (May).
CO_2 Welding with Solid Wire on Structural Work—W. E. WEST, 265–274 (Apr).
*Coke Oven Shoes Last Longer With Open-Arc Overlay, 742–743 (Sep).
Columbium Liquid Metal Loop, Fabrication of a—W. H. KEARNS, W. R. YOUNG and T. K. REDDEN, 730–739 (Sep).
*Construction Company Triples Bit Life and Cuts Drilling Costs, 296 (Apr).
Continuous Flow Welding of Heavy Wall Pipe—K. DUPONT and R. D. HERR, 666–669 (Aug).
*Conversion to Short-Circuiting Arc Welding Reduces Clean-Up Costs 50%, 198–199 (Mar).
*Cryogenic Applications, Valve Maker Uses Stainless Brazing in, 425 (May).
Cryogenic Fabrications, Automated Plasma Arc Welding for Aerospace and—H. R. MILLER and S. P. FILIPSKI, 493–501 (Jun).
*Cyclic Welding Salvages 35 Ton Spindle, 423 (May).

*Demonstrations Taped for Job Corps Center, 845 (Oct).
Drawn-Arc Capacitor Discharge—A Major New Production Tool—R. C. SINGLETON, 918–923 (Nov).
18% Nickel Maraging Steel Fabrication Application to Large Rocket Motor Cases—W. D. ABBOTT, 595–598 (Jul).

Equipment, Value Engineering Applied to Aerospace Welding—L. J. O'BRIEN and W. H. HELMBRECHT, 587–594 (Jul).
Evaluation of Plasma Arc Welding for 120 in. Diameter Rocket Motor Cases—L. J. PRIVOZNIK and H. R. MILLER, 717–725 (Sep).
Evolutionary Trends in Fabricating Aluminum Bronzes—F. E. GARRIOTT, 481–492 (Jun).

Fabrication of a Columbium Liquid Metal Loop—W. H. KEARNS, W. R. YOUNG and T. K. REDDEN, 730–739 (Sep).
Fabrication of 260 Inch Diameter Rocket Cases with Maraging Steel—C. GARLAND, 22–29 (Jan).
A Fabricator Looks at Welding—R. C. PALMER, 13–21 (Jan).
*Flame Spraying Gets Four Times More Life Out of Heavy-Duty Fan Blades, 927 (Nov).
*Flux Cored Welding Saves 300,000 lb Hammer Base, 926–927 (Nov).
*Ford Frame Production Speeded by HF Resistance Welding, 200 (Mar).
*Furniture Life Guaranteed by Sprayed Zinc Coating, 1010–1011 (Dec).

Gas Metal-Arc Welding as a Maintenance Tool—D. L. CALDWELL, 726–729 (Sep).

* A Practical Welder and Designer article.

*Gas Metal-Arc Welding Cuts Pipe Welding Time 50%, 1002–1003 (Dec).
*Gas Metal-Arc Welding, Seagoing Jackets Produced Faster with, 291–292 (Apr).
Gas Tungsten-Arc Spot Welding 2219 Aluminum on S-IC Booster Program—A. LANG and T. RUTKAY, 502–508 (Jun).
Gas Tungsten-Arc Spot Welding Process, Automation of the—E. P. VILKAS, 30–36 (Jan); 410–416 (May).

*Hardsurfacing, Auto Camshaft Regrinder Solves Problems Using, 844 (Oct).
*Hard Surfaced Expeller Collar Yields Six Times Service Life, 1006–1007 (Dec).
*Hard Surfacing Brings Extra Savings in the Land Down Under, 601–602 (Jul).
*Hard Surfacing Non-Weldable Ripper Shanks, 39 (Jan).
*Hard Surfacing Puts Wear Resistance Where it is Needed, 296 (Apr).
*High Pressure Feedwater Heaters Welded Quicker and More Efficiently with Semiautomatic Process, 924–925 (Nov).
*Human Figures Created from Welded Brass, 600 (Jul).

Introduction to Pulsed-Spray Arc Welding—S. A. AGNEW and E. H. DAGGETT, 284–289 (Apr).

*Labor and Industry Cooperate in Training Pipe Welders—V. C. McLEAN, 740–741 (Sep).

*Maintenance in Missile Research, 1011 (Dec).
*Manufacturer Finds Semiautomatic Welding, Cutting Operations Cut Costs, 1007–1008 (Dec).
Maraging Steel, Fabrication of 260 Inch Diameter Rocket Cases with—C. GARLAND, 22–29 (Jan).
Marine Propeller Repair Operations Improved with New Fuel Gas—L. L. WALKER, JR., 194–197 (Mar).
Metallizing Developments Utilizing Stabilized Metylacetylene Propadiene—R. D. GREEN, 992–998 (Dec).
*Metallizing Powder Overlay, Worn Commutator Shafts Reclaimed with, 602 (Jul).
Methylacetylene Propadiene, Metallizing Developments Utilizing—R. D. GREEN, 992–998 (Dec).
*Missile Research, Maintenance in, 1011 (Dec).
Mold Components Given New Life By Fast Welding Process—D. E. BLY, 999–1001 (Dec).
*Multiple Output Welding Machine Does Work of Eight, 38 (Jan).
Multiple Pass Automatic Vertical Welding—P. C. ARNOLD and D. C. BERTOSSA, 651–660 (Aug).

*New Bi-Metallic Brazing Process Meets Aerospace's Special Requirements, 510–511 (Jun).
*New Freight Car Positioner Speeds Welding, 293 (Apr).
New Structural Steelwork Approach Saves 18 In. in Height per Floor—G. BAIN, 191–193 (Mar).
*Nickel Brazing Cuts Knife Fabrication Costs 30%, 132 (Feb).
Nickel Cladding with Strip Electrodes—G. ALMQVIST and N. EGEMAN, 275–283 (Apr).
Nickel and High Nickel Alloys, Plasma Arc Welding of—G. R. PEASE, A. C. LINGENFELTER and H. H. RUBLE, 417–422 (May).

*Over 1300 Welded Girders Used for Detroit's New Fisher Expressway Bridge, 424–425 (May).

Piping, Application of T-1 Steel in Pressure—H. J. STOCK, 899–908 (Nov).
Plasma Arc Welding for Aerospace and Cyogenic Fabrication—Automated, H. R. MILLER and S. P. FILIPSKI, 493–501 (Jun).
Plasma Arc Welding for 120 in. Diameter Rocket Motor Cases—L. J. PRIVOZNIK and H. R. MILLER, 717–725 (Sep).
Plasma Arc Welding of Nickel and High Nickel Alloys—G. R. PEASE, A. C. LINGENFELTER and H. H. RUBLE, 417–422 (May).
Plasma Arc Welding of Titanium—G. J. LANGFORD, 811–823 (Oct).
Plasma Needle Arc for Very Low Current Work—E. F. GORMAN, G. M. SKINNER, and D. M. YENNI, 899–908 (Nov).
*Positioner Speeds Welding, New Freight Car, 293 (Apr).
*Powder Deposit Rebuilds Shaft for Half the Cost of New Unit, 845–846 (Oct).
Pulsed-Spray Arc Welding, Introduction to—S. A. AGNEW and E. H. DAGGETT, 284–289 (Apr).

Refractory-Metal Components for Liquid Metal Service—E. A. FRANCO-FERREIRA and G. M. SLAUGHTER, 835–842 (Oct).
*Renner Mfg. Co. Boosts Shape-Cutting Production, 199–200 (Mar).
*Repair of 3-Ton Flywheel Saves Over $18,000, 513 (Jun).
*Repairing a Cracked 30 mw Turbine Casing, 37–38 (Jan).
*Resistance Welding, Ford Frame Production Speeded by HF, 200 (Mar).

Sculpture, Brazing Solves Problems in Creating Metal, 601 (Jul).
Sculptures, Welding in Modern Metal—J. M. UCHIDA, 111–115 (Feb).
*Seagoing Jackets Produced Faster With Gas Metal-Arc Welding, 291–292 (Apr).
*Shape Cutting Production, Renner Mfg. Co. Boosts, 199–200 (Mar).
*Short-Circuiting Arc Welding Reduces Clean-Up Costs 50%, Conversion to, 198–199 (Mar).
*Short-Circuiting Arc Welding Saves Time for Engineering Firm, 294 (Apr).
*Semiautomatic Welding, Cutting Operations Cut Costs, Manufacturer Finds, 1007–1008 (Dec).
*Simple Tester Does the Job, 133–134 (Feb).
*A Simple Way to Position a Cement Mixer for Down-Hand Welding, 201 (Mar).
*Stud Welding Cuts Cost 35% in Cover Plate Fastening Operations, 133 (Feb).
*Stud Welding Eliminates Oil Leakage Around Transformer Component Cover-Plates, 512–513 (Jun).
*Stud Welding—More Economical Than Drilling and Tapping, 743 (Sep).
*Stud Welding Shaves Costs for Copy Machine Manufacturer, 201 (Mar).
*Stud Welding System Saves Time in Cyclone Furnace Restudding, Automatic Feed, 1003 and 1006 (Dec).
Submerged-Arc Repair Welding of Alloy Steel Ammonia Converter—H. W. EBERT, 581–586 (Jul).
Successful Welding for Low Temperature Service—O. W. ALBRITTON and D. E. ORR, 983–989 (Dec).
*Surfacing Cuts Costs, Boosts Life of Copter Skid Shoes, Wear, 670 (Aug).
*Surfacing Increases Saw Guide Life by 30 Times, 671 (Aug).

Thermal Expansion Study—S. I. ROBERTS, 661–665 (Aug).
*Tiny Torch Speeds Transformer Cover Production and Reduces Rejects, 297 (Apr).
Titanium, Plasma Arc Welding of—G. J. LANGFORD, 811–823 (Oct).
*Training Pipe Welders, Labor and Industry Cooperate in—V. C. McLEAN, 740–741 (Sep).
Tubular Electrodes—Firm, Round and Fully Packed—G. H. MacSHANE and H. F. REID, 116–122 (Feb).

Value Engineering Applied to Aerospace Welding Equipment—L. J. O'BRIEN and W. H. HELMBRECHT, 587–594 (Jul).
*Valve Maker Uses Stainless Brazing in Cryogenic Applications, 425 (May).
Vertical Welding, Multiple Pass Automatic—P. C. ARNOLD and D. C. BERTOSSA, 651–660 (Aug).

*Wear Surfacing Cuts Costs, Boosts Life of Copter Skid Shoes, 670 (Aug).
Welded Beryllium-Copper Structures—B. M. MacPHERSON, 183–190 (Mar).
*Welding Galvanized Tubes to Carbon Steel Tube Sheet, 1009–1010 (Dec).
Welding for Low Temperature Service, Successful—O. W. ALBRITTON and D. E. ORR, 983–989 (Dec).
Welding in Modern Metal Sculptures—J. M. UCHIDA, 111–115 (Feb).
Welding of Heavy Wall Pipe, Continuous Flow—K. DUPONT and R. D. HERR, 666–669 (Aug).
Welding Process, Mold Components Given New Life By Fast—D. E. BLY, 999–1001 (Dec).
*Welding Reclaims Cracked Motor Block, Saves $2000, 741–742 (Sep).
The Welding of Refractory-Metal Components for Liquid Metal Service—E. A. FRANCO-FERREIRA and G. M. SLAUGHTER, 835–842 (Oct).

* A Practical Welder and Designer article.

Welding Skate with Computerized Torch Angle and Welding Speed Control—W. A. WALL, JR. and V. H. YOST, 824–834 (Oct).

*Worn Commutator Shafts Reclaimed with Metallizing Powder Overlay, 602 (Jul).

*You Don't Have to Throw Away—Throw-Away Teeth, 671 (Aug).

*Zinc Coating, Furniture Life Guaranteed by Sprayed, 1010–1011 (Dec).

AUTHOR INDEX

ABBOTT, W. D.—18% Nickel Maraging Steel Fabrication Application to Large Rocket Motor Cases, 595–598 (Jul).
AGNEW, S. A.—Introduction to Pulsed-Spray Arc Welding, 284–289 (Apr).
ALBRITTON, O. W.—Successful Welding for Low Temperature Service, 983–989 (Dec).
ALMQVIST, G.—Nickel Cladding with Strip Electrodes, 275–283 (Apr).
ARNOLD, P. C.—Multiple Pass Automatic Vertical Welding, 651–660 (Aug).

BAIN, G.—New Structural Steelwork Approach Saves 18 In. in Height per Floor, 191–193 (Mar).
BERTOSSA, D. C.—Multiple Pass Automatic Vertical Welding, 651–660 (Aug).
BLY, D. E.—Mold Components Given New Life By Fast Welding Process, 999–1001 (Dec).

CALDWELL, D. L.—Gas Metal-Arc Welding as a Maintenance Tool, 726–729 (Sep).
CAMPBELL, H. C.—Cladding and Overlay Welding with Strip Electrodes, 399–409 (May).

DAGGETT, E. H.—Introduction to Pulsed-Spray Arc Welding, 284–289 (Apr).
DUPONT, K.—Continuous Flow Welding of Heavy Wall Pipe, 666–669 (Aug).

EBERT, H. W.—Submerged-Arc Repair Welding of Alloy Steel Ammonia Converter, 581–586 (Jul).
EGEMAN, N.—Nickel Cladding with Strip Electrodes, 275–283 (Apr).
FILIPSKI, S. P.—Automated Plasma Arc Welding for Aerospace and Cryogenic Fabrications, 493–501 (Jun).
FRANCO-FERREIRA, E. A.—The Welding of Refractory-Metal Components for Liquid Metal Service, 835–842 (Oct).

GARLAND, C.—Fabrication of 260 Inch Diameter Rocket Cases with Maraging Steel, 22–29 (Jan).
GARRIOTT, F. E.—Evolutionary Trends in Fabricating Aluminum Bronzes, 481–492 (Jun).
GORMAN, E. F.—Plasma Needle Arc for Very Low Current Work, 899–908 (Nov).
GREEN, R. D.—Metallizing Developments Utilizing Stabilized Methylacetylene Propadiene, 992–998 (Dec).
GUDGEL, L. L.—Welding and Brazing Process Developments Utilizing Stabilized Methylacethylene Propadiene, 123–129 (Feb).

HELMBRECHT, W. H.—Value Engineering Applied to Aerospace Welding Equipment, 587–594 (Jul).
HERR, R. D.—Continuous Flow Welding of Heavy Wall Pipe 666–669 (Aug).

JOHNSON, W. C.—Cladding and Overlay Welding with Strip Electrodes, 399–409 (May).

KEARNS, W. H.—Fabrication of a Columbium Liquid Metal Loop, 730–739 (Sep).

LANG, A.—Gas Tungsten-Arc Spot Welding 2219 Aluminum on S-IC Booster Program, 502–508 (Jun).
LANGFORD, G. J.—Plasma Arc Welding of Titanium, 811–823 (Oct).
LINGENFELTER, A. C.—Plasma Arc Welding of Nickel and High Nickel Alloys, 417–422 (May).

MACPHERSON, B. M.—Welded Beryllium-Copper Structures, 183–190 (Mar).
MACSHANE, G. H.—Tubular Electrodes—Firm, Round and Fully Packed, 116–122 (Feb).
MCLEAN, V. C.—Labor and Industry Cooperate in Training Pipe Welders, 740–741 (Sep).
MILLER, H. R.—Automated Plasma Arc Welding for Aerospace and Cryogenic Fabrications, 493–501 (Jun); Evaluation of Plasma Arc Welding for 120 in. Diameter Rocket Motor Cases, 717–725 (Sep).

O'BRIEN, L. J.—Value Engineering Applied to Aerospace Welding Equipment, 587–594 (Jul).
ORR, D. E.—Successful Welding for Low Temperature Service, 983–989 (Dec).

PALMER, R. C.—A Fabricator Looks at Welding, 13–21 (Jan).
PEASE, G. R.—Plasma Arc Welding of Nickel and High Nickel Alloys, 417–422 (May).
PRIVOZNIK, L. J.—Evaluation of Plasma Arc Welding for 120 in. Diameter Rocket Motor Cases, 717–725 (Sep).

REDDEN, T. K.—Fabrication of a Columbium Liquid Metal Loop, 730–739 (Sep).
REID, H. F.—Tubular Electrodes—Firm, Round and Fully Packed, 116–122 (Feb).
ROBERTS, S. I.—A Thermal Expansion Study, 661–665 (Aug).
RUBLE, H. H.—Plasma Arc Welding of Nickel and High Nickel Alloys, 417–422 (May).
RUTKAY, T.—Gas Tungsten-Arc Spot Welding 2219 Aluminum on S-IC Booster Program, 502–508 (Jun).

SINGLETON, R. C.—Drawn-Arc Capacitor Discharge—A Major New Production Tool, 918–923 (Nov).
SKINNER, G. M.—Plasma Needle Arc for Very Low Current Work, 899–908 (Nov).
SLAUGHTER, G. M.—The Welding of Refractory-Metal Components for Liquid Metal Service, 835–842 (Oct).
STOCK, H. J.—Application of T-1 Steel in Pressure Piping, 909–917 (Nov).

UCHIDA, J. M.—Welding in Modern Metal Sculptures, 111–115 (Feb).
VILKAS, E. P.—Automation of the Gas Tungsten-Arc Spot Welding Process, 30–36 (Jan); 410–416 (May).

WALKER, L. L., JR.—Marine Propeller Repair Operations Improved with New Fuel Gas, 194–197 (Mar).
WALL, W. A., JR.—Welding Skate with Computerized Torch Angle and Welding Speed Control, 824–834 (Oct).
WEST, W. E.—CO_2 Welding with Solid Wire on Structural Work, 265–274 (Apr).
WOOLLARD, R. F.—Welding and Brazing Process Developments Utilizing Stabilized Methylacetylene Propadiene, 123–129 (Feb).

YENNI, D. M.—Plasma Needle Arc for Very Low Current Work, 899–908 (Nov).

YOST, V. H.—Welding Skate Computerized Torch Angle and Welding Speed Control, 824–834 (Oct).
YOUNG, W. R.—Fabrication of a Columbium Liquid Metal Loop, 730–739 (Sep).

* A Practical Welder and Designer article.

WELDING RESEARCH SUPPLEMENT

AUTHOR INDEX

Adams Lecture, 1964, The Influence of the Art of Welding on the Creative Concepts of Structural Design—A. AMIRIKIAN 337-s to 343-s (Aug).
Aerospace Structural Alloys, Laser Welding of—L. P. EARVOLINO and J. R. KENNEDY, 127-s to 134-s (Mar).
Aluminum Alloy Filler Welds, Shear Strengths of—F. G. NELSON and R. L. ROLF, 82-s to 84-s (Feb).
Aluminum Alloy 7039, Welding of—I. B. ROBINSON and F. R. BAYSINGER, 433-s to 444-s (Oct).
Aluminum Alloy 6061, Effects of High Frequency Current in Welding—R. E. FISH and C. S. SHIRA, 490-s to 496-s (Nov).
Aluminum Brazing Sheet, Diffusion of Silicon in—J. R. TERRILL, 202-s to 209-s (May).
Aluminum Alloys, Fracture Characteristics of Welds in—F. G. NELSON, J. G. KAUFMAN, and MARSHALL HOLT, 321-s to 329-s (Jul).
Aluminum Alloys, High Strength, Preventing Weld Cracks in—J. H. DUDAS and F. R. COLLINS, 241-s to 249-s (Jun).
Aluminum Alloy Weldments, Mechanism of Overlap Segregation in—A. T. D'ANNESA, 427-s to 432-s (Sep).
Aluminum, 7039, Techniques for Welding with Various Inert Gas Processes—J. A. LIPTAK, 561-s to 568-s (Dec).
Aluminum Welding 2219, Analysis of Time-Temperature Effects in—F. J. JACKSON, 188-s to 192-s (Apr).
Al – Zn – Mg alloy 7039, Development of Filler Metals for Welding—F. E. GIBBS, 445-s to 453-s (Oct).
Analysis of the "Nugget" Formation in Projection Welding—A. CUNNINGHAM, JR., M. L. BEGEMAN and B. E. SHORT, 305-s to 313-s (Jul).
Analysis of Time-Temperature Effects in 2219 Aluminum Welding—F. J. JACKSON, 188-s to 192-s (Apr).
Analytical and Experimental Study of Diffusion Bonding—C. L. CLINE, 481-s to 489-s (Nov).
Annular Projection Welding of Tubular Sections to Low Carbon Steel Sheet—J. J. RILEY and J. F. HARRIS, 289-s to 304-s (Jul).
Application of the Varestraint Technique to the Study of Weldability—W. F. SAVAGE and C. D. LUNDIN, 497-s to 503-s (Nov).
Arcs, Welding, The Effects of Applied Magnetic Fields on—G. K. HICKEN and C. E. JACKSON, 515-s to 524-s (Nov).

Brazing, High Remelt Temperature, of Columbium Honeycomb Structures—A. H. FREEDMAN and E. B. MIKUS, 258-s to 265-s (Jun).
Brazing Sheet, Aluminum, Diffusion of Silicon in—J. R. TERRILL, 202-s to 209-s (May).
Brazing Tungsten to Molybdenum, Development of Chromium-Vanadium Alloys for—J. T. SMITH, 135-s to 138-s (Mar).

Chromium-Vanadium Alloys, Development of, for Brazing Tungsten to Molybdenum—J. T. SMITH, 135-s to 138-s (Mar).
Columbium Alloys, Advanced, Welding Characteristics of—J. M. GERKEN, 210-s to 226-s (May).
Columbium Base Alloys, Structural Stability of Welds in—R. E. YOUNT and D. L. KELLER, 227-s to 234-s (May).
Columbium-Bearing High Strength Low Alloy Steel, the Weldability of—A. H. ARONSON, 266-s to 271-s (Jun).
Columbium Honeycomb Structures, High Remelt Temperature Brazing of—A. H. FREEDMAN and E. B. MIKUS, 258-s to 265-s (Jun).
Comparative Weldability of Refractory Metal Alloys—G. G. LESSMANN, 540-s to 560-s (Dec).
Concerning the Influence of Dissolved Hydrogen on the Austenite-Martensite Transformation in Two Steels—A. E. FLANIGAN and D. F. WASHBURN, 330-s to 333-s (Jul).
Correlation of Ni – Cr – Fe Alloy Weld Metal Fissuring with Hot Ductility Behavior—W. YENISCAVICH, 344-s to 356-s (Aug).
Cracking of Invar Weld Metal in Circular Patch Tests—G. R. RUNDELL and A. E. NEHRENBERG, 156-s to 160-s (Apr).
Cracking, Underbead, in an Arc-Welded Low-Alloy Steel, Temperature-Dependence of the Rate of Immunization Against—A. E. FLANIGAN and M. S. TUCKER, 368-s to 373-s (Aug).
Creep, the Effect of on the High Strain Fatigue Behavior of a Pressure Vessel Steel—D. S. WOOD, 90-s to 96-s (Feb).
Creep-Rupture Properties of Pressure Vessel Steels—Part II—J. J. DEBARBADILLO, A. W. PENSE and R. D. STOUT, 357-s to 367-s (Aug).
Current Contact Tubes for Gas Metal-Arc Welding, Study of—J. F. RUDY, D. C. BROWN and W. G. GROTH, 374-s to 378-s (Aug).
Current, High Frequency, Effect of in Welding Aluminum Alloy 6061—R. E. FISH and C. S. SHIRA, 490-s to 496-s (Nov).

Development of 170/200 ksi Yield-Strength Ni – Cr – Mo – Co Weld Metals for Constructional Steels—P. J. KONKOL, A. M. RATHBONE and J. H. GROSS, 525-s to 539-s (Dec).
Development of a Weld Intelligence System—W. M. MCCAMPBELL, G. E. COOK, L. E. NORDHOLT and G. J. MERRICK, 139-s to 144-s (Mar).
Development of Chromium-Vanadium Alloys for Brazing Tungsten to Molybdenum—J. T. SMITH, 135-s to 138-s (Mar).
Development of Filler Metals for Welding Al – Zn – Mg Alloy 7039—F. E. GIBBS, 445-s to 453-s (Oct).
Diffusion Bonding, An Analytical and Experimental Study of—C. L. CLINE, 481-s to 489-s (Nov).
Diffusion of Silicon in Aluminum Brazing Sheet—J. R. TERRILL, 202-s to 209-s (May).
D6AC Steel, Electron Beam Welding of—H. I. MCHENRY, J. C. COLLINS, and R. E. KEY, 419-s to 425-s (Sep).

Effect of Creep on the High Strain Fatigue Behavior of a Pressure Vessel Steel—D. S. WOOD, 90-s to 96-s (Feb).
Effect of Projection Height Upon Weld Quality and Strength—A. CUNNINGHAM and M. L. BEGEMAN, 26-s to 30-s (Jan).
Effect of Thermal Cycles in Welding D6AC Steel—K. NOTVEST, 173-s to 177-s (Apr).
Effects of Applied Magnetic Fields on Welding Arcs—G. K. HICKEN and C. E. JACKSON, 515-s to 524-s (Nov).
Effects of Fissues on the Fatigue Strength of Ni – Cr – Fe Alloys—W. YENISCAVICH, 111-s to 123-s (Mar).
Effects of High Frequency Current in Welding Aluminum Alloy 6061—R. E. FISH and C. S. SHIRA, 490-s to 496-s (Nov).
Elastic Buckling Tests on Laterally and Torsionally Braced Tapered I-Beams—D. J. BUTLER, 41-s to 48-s (Jan).
Electron Beam Welding of D6AC Steel—H. I. MCHENRY, J. C. COLLINS and R. E. KEY, 419-s to 425-s (Sep).
Electron Beam Welds, Heat Flow in—D. E. PASSOJA, 379-s to 384-s (Aug).
Elevated Temperature Mechanical Properties of Welds in a Ni – Mo – Cr – Fe Alloy—R. G. GILLILAND and J. T. VENARD, 103-s to 110-s (Mar).
Embrittlement by Irradiation of Welds and Brazes at Elevated Temperatures—W. R. MARTIN and G. M. SLAUGHTER, 385-s to 391-s (Sep).
Escape of Dissolved Hydrogen from Weld Metal—A. E. FLANIGAN and E. U. LEE, 477-s to 480-s (Oct).

Fatigue Strength of Ni – Cr – Fe Alloys, The Effects of Fissures on the—W. YENISCAVICH, 111-s to 123-s (Mar).
Fatigue Tests of Structural Steels and Weldments in Notched Specimens—K. PAYVAR and D. D. VASARHELYI, 161-s to 172-s (Apr).
Filler Metals for Welding Al – Zn – Mg Alloy 7039, Development of—F. E. GIBBS, 445-s to 453-s (Oct).
Fissures, the Effects of on the Fatigue Strength of Ni – Cr - Fe Alloys—W. YENISCAVICH, 111-s to 123-s (Mar).
Fissuring of Ni – Cr – Fe Alloy Weld Metal, A Correlation with Hot Ductility Behavior—W. YENISCAVICH, 344-s to 356-s (Aug).
Flame Cambering, Discussion on the Effects of on the Bending Strength of I-Beams—284-s to 288-s (Jun).
Flame Sprayed Nickel Aluminide Coatings, Metallurgy of—F. N. LONGO, 66-s to 69-s (Feb).

Flux Backing Technique, Gas Metal-Arc Welding of Titanium Plate Using a—G. S. IRONS and R. A. ROSENBERG, 97-s to 102-s (Mar).
Fracture Characteristics of Welds in Aluminum Alloys—F. G. NELSON, J. G. KAUFMAN and MARSHALL HOLT, 321-s to 329-s (Jul).
Fracture Toughtness in Low-Alloy Mild Steels, Measurement of—J. DVORAK and J. VRTEL, 272-s to 283-s (Jun).

Gas Metal-Arc Welding of Titanium Plate Using a Flux Backing Technique—G. S. IRONS and R. A. ROSENBERG, 97-s to 102-s (Mar).
Gas Metal-Arc Welding, Study of Current Contact Tubes for—J. F. RUDY, D. C. BROWN, and W. G. GROTH, 374-s to 378-s (Aug).

Hastelloy X, An Investigation of Hot Cracking in—W. F. SAVAGE and B. M. KRANTZ, 13-s to 25-s (Jan).
Heat-Affected Zone Cracking in Nickel-Base Superalloys, A Model for—W. A. OWCZARSKI, D. S. DUVALL and C. P. SULLIVAN, 145-s to 155-s (Apr).
Heat Flow in Electron Beam Welds—D. E. PASSOJA, 379-s to 384-s (Aug).
High Remelt Temperature Brazing of Columbium Honeycomb Structures—A. H. FREEDMAN and E. B. MIKUS, 258-s to 265-s (Jun).
High Strength Low Alloy Steel, Columbium-Bearing, The Weldability of—A. H. ARONSON, 266-s to 271-s (Jun).
High-Strength Quench and Temper Steels, Welding Evaluation of New—J. M. UCHIDA, 31-s to 40-s (Jan).
Honeycomb Structures, Columbium, High Remelt Temperature Brazing of—A. H. FREEDMAN and E. B. MIKUS, 258-s to 265-s (Jun).
Hot Cracking in Hastelloy X, An Investigation of—W. F. SAVAGE and B. M. KRANTZ, 13-s to 25-s (Jan).
Hydrogen, Dissolved, Concerning the Influence of, on the Austenite-Martensite Transformation in Two Steels—A. E. FLANIGAN and D. F. WASHBURN, 330-s to 333-s (Jul).
Hydrogen, Dissolved, Escape of, from Weld Metal—A. E. FLANIGAN and E. U. LEE, 477-s to 480-s (Oct).
Hot Ductility Behavior, A Correlation of Ni – Cr – Fe Alloy Weld Metal Fissuring with—W. YENISCAVICH, 344-s to 356-s (Aug).
Hydrogen Cracking, Investigation of Residual Stresses by Use of—Part II—K. MASUBUCHI and D. C. MARTIN, 401-s to 418-s (Sep).

Influence of the Art of Welding on the Creative Concepts of Structural Design—A. AMIRIKIAN, 337-s to 343-s (Aug).
Investigation of Hot Cracking in Hastelloy X—W. F. SAVAGE and B. M. KRANTZ, 13-s to 25-s (Jan).
Investigation of Residual Stresses by Use of Hydrogen Cracking—Part II—K. MASUBUCHI and D. C. MARTIN, 401-s to 418-s (Sep).
Irradiation Embrittlement of Welds and Brazes at Elevated Temperatures—W. R. MARTIN and G. M. SLAUGHTER, 385-s to 391-s (Sep).

Laser Welding of Aerospace Structural Alloys—L. P. EARVOLINO and J. R. KENNEDY, 127-s to 134-s (Mar).

Magnetic Fields Applied on Welding Arcs, The Effects of—G. K. HICKEN and C. E. JACKSON, 515-s to 524-s (Nov).
Measurement of Fracture Toughness in Low-Alloy Mild Steels—J. DVORAK and J. VRTEL, 272-s to 283-s (Jun).
Measurement of Residual Stresses in a Heavy Weldment—D. A. FERRILL, P. B. JUHL and D. R. MILLER, 504-s to 514-s (Nov).
Mechanism of Overlap Segregation in Aluminum Alloy Weldments—A. T. D'ANNESSA, 427-s to 432-s (Sep).
Metallurgy of Flame Sprayed Nickel Aluminide Coatings—F. N. LONGO, 66-s to 69-s (Feb).
Microcracking and Delayed Cracking in Welded Quenched and Tempered Steels—C. F. MEITZNER and R. D. STOUT, 393-s to 400-s (Sep).
Microstructure and Notch Impact Behavior of a Welded Structural Steel—W. F. SAVAGE and W. A. OWCZARSKI, 55-s to 65-s (Feb).
Model for Heat-Affected Zone Cracking in Nickel-Base Superalloys—W. A. OWCZARSKI, D. S. DUVALL and C. P. SULLIVAN, 145-s to 155-s (Apr).
Nickel-Base Alloys, New Solution-Strengthened, Welding of—R. G. GILLILAND and G. M. SLAUGHTER, 314-s to 320-s (Jul).
Nickel-Base Superalloys, A Model for Heat-Affected Zone Cracking in—W. A. OWCZARSKI, D. S. DUVALL and C. P. SULLIVAN, 145-s to 155-s (Apr).
Ni – Cr – Fe Alloy Weld Metal Fissuring with Hot Ductility Behavior, A Correlation of—W. YENISCAVICH, 344-s to 356-s (Aug).
Ni – Cr – Fe Alloys, the Effects of Fissures on the Fatigue Strength of—W. YENISCAVICH, 111-s to 123-s (Mar).
Ni – Cr – Mo – Co, 170/200 ksi Yield-Strength Weld Metals, Development of for Constructional Steels—P. J. KONKOL, A. M. RATHBONE and J. H. GROSS, 525-s to 539-s (Dec).
Ni – Mo – Cr – Fe Alloy, Elevated Temperature Mechanical Properties of Welds in a—R. G. GILLILAND and J. T. VENARD, 103-s to 110-s (Mar).

Porosity, Sources and Causes of in Titanium Arc Welds—M. M. D'ANDREA, JR., 178-s to 187-s (Apr).
Porosity of Weld Interface in Tantalum—R. C. BRADT and R. M. CURCIO, 124-s to 126-s (Mar).
Precompression Bending Test, The—J. DVORAK, 235-s to 240-s (May).
Preferred Orientation in the Weld Fusion Zone—W. F. SAVAGE and A. H. ARONSON, 85-s to 89-s (Feb).
Pressure Vessel Steel, The Effect of Creep on the High Strain Fatigue Behavior of—D. S. WOOD, 90-s to 96-s (Feb).
Pressure Vessel Steels, Creep-Rupture Properties of—Part II—J. J. DEBARBADILLO, A. W. PENSE and R. D. STOUT, 357-s to 367-s (Aug).
Pressure Vessels—PVRC Research on Topics Proposed by ASME—C. F. LARSON, 49-s to 54-s (Feb).
Preventing Weld Cracks in High-Strength Aluminum Alloys—J. H. DUDAS and F. R. COLLINS, 241-s to 249-s (Jun).
Projection Height, Effect of Upon Weld Quality and Strength—A. CUNNINGHAM and M. L. BEGEMAN, 26-s to 30-s (Jan).
Projection Welding, Analysis of the "Nugget" Formation in—A. CUNNINGHAM, JR., M. L. BEGEMAN and B. E. SHORT, 305-s to 313-s (Jul).
Projection Welding, Annular, of Tubular Sections to Low Carbon Steel Sheet—J. J. RILEY and J. F. HARRIS, 289-s to 304-s (Jul).
PVRC Research on Topics Proposed by ASME—C. F. LARSON, 49-s to 54-s (Feb).

Quenched and Tempered 9Ni – 4Co Steels, Welding of—G. D. RIES and S. W. POOLE, 465-s to 476-s (Oct).
Quenched and Tempered Steels, Welded, Microcracking and Delayed Cracking in—C. F. MEITZNER and R. D. STOUT, 393-s to 400-s (Sep).

Refractory Alloys, Advanced, Weldability Evaluation of—R. G. DONNELLY and G. M. SLAUGHTER, 250-s to 257-s (Jun).
Refractory Metal Alloys, Comparative Weldability of—G. G. LESSMANN, 540-s to 560-s (Dec).
Residual Stresses, Investigation of by Use of Hydrogen Cracking—Part II—K. MASUBUCHI and D. C. MARTIN, 401-s to 418-s (Sep).
Residual Stresses, Measurement of in a Heavy Weldment—D. A. FERRILL, P. B. JUHL and D. R. MILLER, 504-s to 514-s (Nov).
Resistance Projection Welding, Analysis of the "Nugget" Formation in—A. A. CUNNINGHAM, JR., M. L. BEGEMAN and B. E. SHORT, 305-s to 313-s (Jul).
Resistance Welding—Annular Projection Welding of Tubular Sections to Low Carbon Steel Sheet—J. J. RILEY and J. F. HARRIS, 289-s to 304-s (Jul).

Segregation Mechanism in Aluminum Alloy Overlap Weldments—A. T. D'ANNESSA, 427-s 432-s (Sep).
Shear Strengths of Aluminum Alloy Fillet Welds—F. G. NELSON and R. L. ROLF, 82-s to 84-s (Feb).
Silicon, Diffusion of, in Aluminum Brazing Sheet—J. R. TERRILL, 202-s to 209-s (May).
Sources and Causes of Porosity in Titanium Arc Welds—M. M. D'ANDREA, JR., 178-s to 187-s (Apr).
Stainless Steel, Stabilized—Technical Note—C. R. SIBLEY, 539-s and 560-s (Dec).
Stresses in T-Joints, An Investigation of Welded Tubular Connections—A. A. TOPRAC, L. P. JOHNSTON and J. NOEL, 1-s to 12-s (Jan).
Structural Design, The Influence of the Art of Welding on the Creative Concepts of—A. AMIRIKIAN, 337-s to 343-s (Aug).

Structural Stability of Welds in Columbium Base Alloys—R. E. YOUNT and D. L. KELLER, 227-s to 234-s (May).
Structural Steels and Weldments in Notched Specimens, Fatigue Tests of—K. PAYVAR and D. D. VASARHELYI, 161-s to 172-s (Apr).
Studies of Welding Procedures—Phase III—W. J. HALL and A. D. CHAMBERLAIN, 193-s to 202-s (May).
Study of Current Contact Tubes for Gas-Metal-Arc Welding—J. F. RUDY, D. C. BROWN, and W. G. GROTH, 374-s to 378-s (Aug).

Tantalum, Weld Interface Porosity in—R. C. BRADT and R. M. CURCIO, 124-s to 126-s (Mar).
Tapered I-Beams, Laterally and Torsionally Braced, Elastic Buckling Tests on—D. J. BUTLER, 41-s to 48-s (Jan).
Technical Note: Stabilized Stainless Steel—C. R. SIBLEY, 539-s and 560-s (Dec).
Techniques for Welding 7039 Aluminum with Various Inert Gas Processes—J. A. LIPTAK, 561-s to 568-s (Dec).
Temperature-Dependence of the Rate of Immunization Against Underbead Cracking in an Arc-Welded Low-Alloy Steel—A. E. FLANIGAN and M. S. TUCKER, 368-s to 373-s (Aug).
Test, The Precompression Bending—J. DVORAK, 235-s to 240-s (May).
Thermal Cycles, Effect of, in Welding D6AC Steel—K. NOTVEST, 173-s to 177-s (Apr).
Time-Temperature Effects in 2219 Aluminum Welding, Analysis of—F. J. JACKSON, 188-s to 192-s (Apr).
Titanium Arc Welds, Sources and Causes of Porosity in—M. M. D'ANDREA, JR., 178-s to 187-s (Apr).
Titanium Plate, Gas Metal-Arc Welding of, by Using a Flux Backing Technique—G. S. IRONS and R. A. ROSENBERG, 97-s to 102-s (Mar).
Tubes, Welded Attachments to, Experimentation, Analysis and Design—R. F. MELWORM and I. BERMAN, 454-s to 464-s (Oct).
Tubular Connections, Welded: An Investigation of Stresses in T-Joints—A. A. TOPRAC, L. P. JOHNSTON and J. NOEL, 1-s to 12-s (Jan).
Tubular Sections, Annular Projection of, to Low Carbon Steel Sheet—J. J. RILEY and J. F. HARRIS, 289-s to 304-s (Jul).

Varestraint Technique, Application of, to the Study of Weldability—W. F. SAVAGE and C. D. LUNDIN, 497-s to 503-s (Nov).

Weld Cracks, Preventing, in High-Strength Aluminum Alloys—J. H. DUDAS and F. R. COLLINS, 241-s to 249-s (Jun).
Weld Fusion Zone, Preferred Orientation in the—W. F. SAVAGE and A. H. ARONSON, 85-s to 89-s (Feb).
Weld Intelligence System, The Development of—W. M. MCCAMPBELL, G. E. COOK, L. E. NORDHOLT and G. J. MERRICK, 139-s to 144-s (Mar).
Weld Interface Porosity in Tantalum—R. C. BRADT and R. M. CURCIO, 124-s to 126-s (Mar).
Weld Metal Cracking of Invar in Circular Patch Tests—G. R. RUNDELL and A. E. NEHRENBERG, 156-s to 160-s (Apr).
Weld Metal, Escape of Dissolved Hydrogen from—A. E. FLANIGAN and E. U. LEE, 477-s to 480-s (Oct).
Weld Metal, Ni – Cr – Fe Alloy, A Correlation of Fissuring with Hot Ductility Behavior—W. YENISCAVICH, 344-s to 356-s (Aug).
Weld Quality and Strength, Effect of Projection Height upon—A. CUNNINGHAM and M. L. BEGEMAN, 26-s to 30-s (Jan).
Weldability, Application of the Varestraint Technique to the Study of—W. F. SAVAGE and C. D. LUNDIN, 497-s to 503-s (Nov).
Weldability Evaluation of Advanced Refractory Alloys—R. G. DONNELLY and G. M. SLAUGHTER, 250-s to 257-s (Jun).
Weldability of Columbium-Bearing High Strength Low Alloy Steel—A. H. ARONSON, 266-s to 271-s (Jun).
Weldability of Ti – 7Al – 2Cb – 1Ta Plate—L. E. STARK, 70-s to 80-s (Feb).
Welded Attachments to Tubes—Experimentation, Analysis and Design—R. F. MELWORM and I. BERMAN, 454-s to 464-s (Oct).
Welded Structural Steel, The Microstructure and Notch Impact Behavior of a—W. F. SAVAGE and W. A. OWCZARSKI, 55-s to 65-s (Feb).
Welded Tubular Connections: An Investigation of Stresses in T-Joints—A. A. TOPRAC, L. P. JOHNSTON and J. NOEL, 1-s to 12-s (Jan).
Welded Aluminum Alloy 7039—I. B. ROBINSON and F. R. BAYSINGER, 433-s to 444-s (Oct).
Welding Aluminum Alloy 6061, Effect of High Frequency Current in—R. E. FISH and C. S. SHIRA, 490-s to 496-s (Nov).
Welding Characteristics of Advanced Columbium Alloys—J. M. GERKEN, 210-s to 226-s (May).
Welding Evaluation of New High-Strength Quench and Temper Steels—J. M. UCHIDA, 31-s to 40-s (Jan).
Welding Procedures, Studies of—Phase III—W. J. HALL and A. D. CHAMBERLAIN, 193-s to 202-s (May).
Welding of New Solution-Strengthened Nickel-Base Alloys—R. G. GILLILAND and G. M. SLAUGHTER, 314-s to 320-s (Jul).
Welding of Quenched and Tempered 9Ni – 4Co Steels—G. D. RIES and S. W. POOLE, 465-s to 476-s (Oct).
Welds, Structural Stability of, in Columbium Base Alloys—R. E. YOUNT and D. L. KELLER, 227-s to 234-s (May).

AUTHOR INDEX

AMIRIKIAN, A.—1964 Adams Lecture—The Influence of the Art of Welding on the Creative Concepts of Structural Design, 337-s to 343-s (Aug).
ARONSON, A. H.—Preferred Orientation in the Weld Fusion Zone, 85-s to 89-s (Feb.).
The Weldability of Columbium-Bearing High Strength Low Alloy Steel, 266-s to 271-s (Jun).

BAYSINGER, F. R.—Welding Aluminum Alloy 7039, 433-s to 444-s (Oct).
BEGEMAN, M. L.—Effect of Projection Height Upon Weld Quality and Strength, 26-s to 30-s (Jan).
An Analysis of the Nugget Formation in Projection Welding, 305-s to 313-s (Jul).
BERMAN, I.—WELDED Attachments to Tubes—Experimentation, Analysis and Design, 454-s to 464-s (Oct).
BRADT, R. C.—Weld Interface Porosity in Tantalum, 124-s to 126-s (Mar).
BROWN, D. C.—Study of Current Contact Tubes for Gas Metal-Arc Welding, 374-s to 378-s (Aug).
BUTLER, D. J.—Elastic Buckling Tests on Laterally and Torsionally Braced Tapered I-Beams, 41-s to 48-s (Jan).

CHAMBERLAIN, A. D.—Studies of Welding Procedures—Phase III, 193-s to 200-s (May).
CLINE, C. L.—An Analytical and Experimental Study of Diffusion Bonding, 481-s to 489-s (Nov).
COLLINS, F. R.—Preventing Weld Cracks in High-Strength Aluminum Alloys, 241-s to 249-s (Jun).
COLLINS, J. C.—Electron Beam Welding of D6AC Steels, 419-s to 426-s (Sep).
COOK, G. E.—The Development of a Weld Intelligence System, 139-s to 144-s (Mar).
CUNNINGHAM, A.—Effect of Projection Height Upon Weld Quality and Strength, 26-s to 30-s (Jan).
An Analysis of the Nugget Formation in Projection Welding, 305-s to 313-s (Jul).
CURCIO, R. M.—Weld Interface Porosity in Tantalum, 124-s to 126-s (Mar).

D'ANDREA, M. M., JR.—Sources and Causes of Porosity in Titanium Arc Welds, 178-s to 187-s (Apr).
D'ANNESSA, A. T.—Mechanism of Overlay Segregation in Aluminum Alloy Weldments, 427-s to 432-s (Sep).
DEBARBADILLO, J. J.—The Creep-Rupture Properties of Pressure Vessel Steels—Part II, 357-s to 367-s (Aug).
DONNELLY, R. G.—Weldability Evaluation of Advanced Refractory Alloys, 250-s to 257-s (Jun).

DUDAS, J. H.—Preventing Weld Cracks in High-Strength Aluminum Alloys, 241-s to 249-s (Jun).
DUVALL, D. S.—A Model for Heat-Affected Zone Cracking in Nickel Base Superalloys, 145-s to 155-s (Apr); Technical Note: Behavior of Solute at Mobile Heat-Affected Zone Grain Boundaries, 356-s to 384-s (Aug).
DVORAK, J.—The Precompression Bending Test, 235-s to 240-s (May).
Measurement of Fracture Toughness in Low-Alloy Mild Steels, 272-s to 283-s (Jun).

EARVOLINO, L. P.—Laser Welding of Aerospace Structural Alloys, 127-s to 134-s (Mar).

FERRILL, D. A.—Measurement of Residual Stresses in a Heavy Weldment, 504-s to 514-s (Nov).
FISH, R. E.—Effects of High-Frequency Current in Welding Aluminum Alloy 6061, 490-s to 494-s (Nov).
FLANIGAN, A. E.—Concerning the Influence of Dissolved Hydrogen on the Austenite-Martensite Transformation in Two Steels, 330-s to 333-s (Jul).
Temperature-Dependence of the Rate of Immunization Against Underbead Cracking in an Arc-Welded Low-Alloy Steel, 368-s to 373-s (Aug).
On the Escape of Dissolved Hydrogen from Weld Metal, 477-s to 480-s (Oct).
FREEDMAN, A. H.—High Remelt Temperature Brazing of Columbium Honeycomb Structures, 258-s to 265-s (Jun).

GERKEN, J. M.—Welding Characteristics of Advanced Columbium Alloys, 210-s to 226-s (May).
GIBBS, F. E.—Development of Filler Metals for Welding Al – Zn – Mg Alloy 7039, 445-s to 452-s (Oct).
GILLILAND, R. G.—Elevated Temperature Mechanical Properties of Welds in Ni – Mo – Cr – Fe Alloy, 103-s to 110-s (Mar).
The Welding of New Solution-Strengthened Nickel-Base Alloys 314-s to 320-s (Jul).
GROSS, J. H.—Development of 170/200 ksi Yield-Strength Ni – Cr – Mo – Co Weld Metals for Constructional Steels, 525-s to 539-s (Dec).
GROTH, W. G.—Study of Current Contact Tubes for Gas Metal-Arc Welding, 374-s to 378-s (Aug).

HALL, W. J.—Studies of Welding Procedures—Phase III, 193-s to 200-s (May).
HARRIS, J. F.—Annular Projection Welding of Tubular Sections to Low Carbon Steel Sheet, 289-s to 304-s (Jul).
HICKEN, G. K.—The Effects of Applied Magnetic Fields on Welding Arcs, 515-s to 524-s (Nov).
HOLT, MARSHALL—Fracture Characteristics of Aluminum Alloys, 321-s to 329-s (Jul).

IRONS, G. S.—Gas Metal-Arc Welding of Titanium Plate Using a Flux Backing Technique, 97-s to 102-s (Mar).

JACKSON, C. E.—The Effects of Applied Magnetic Fields on Welding Arcs, 515-s to 524-s (Nov).
JACKSON, F. J.—Analysis of Time-Temperature Effects in 2219 Aluminum Welding, 188-s to 192-s (Apr).
JOHNSTON, L. P.—Welding Tubular Connections: An Investigation of Stresses in T-Joints, 1-s to 12-s (Jan).
JUHL, P. B.—Measurement of Residual Stresses in a Heavy Weldment, 504-s to 514-s (Nov).

KAUFMAN, J. G.—Fracture Characteristics of Aluminum Alloys, 321-s to 329-s (Jul).
KELLER, D. L.—Structural Stability of Welds in Columbium Base Alloys, 227-s to 234-s (May).
KENNEDY, J. R.—Laser Welding of Aerospace Structural Alloys, 127-s to 134-s (Mar).
KEY, R. E.—Electron Beam Welding of D6AC Steels, 419 to 426-s (Sep).
KONKOL, P. J.—Development of 170/200 ksi Yield-Strength Ni – Cr – Mo – Co Weld Metals for Constructional Steels, 525-s to 539-s (Dec).
KRANTZ, B. M.—An Investigation of Hot Cracking in Hastelloy X, 13-s to 24-s (Jan).

LARSON, C. F.—PVRC Research on Topics Proposed by ASME, 49-s to 54-s (Feb).
LEE, E. U.—On the Escape of Dissolved Hydrogen from Weld Metal, 477-s to 480-s (Oct).
LESSMANN, G. G.—The Comparative Weldability of Refractory Metal Alloys, 540-s to 560-s (Dec).
LIPTAK, J. A.—Techniques for Welding 7039 Aluminum with Various Inert Gas Processes, 561-s to 568-s (Dec).
LONGO, F. N.—Metallurgy of Flame Sprayed Nickel Aluminide Coatings, 66-s to 69-s (Feb).
LUNDIN, C. D.—Application of the Varestraint Technique to the Study of Weldability, 497-s to 503-s (Nov).

MCCAMPBELL, W. M.—The Development of a Weld Intelligence System, 139-s to 144-s (Mar).
MCHENRY, H. I.—Electron Beam Welding of D6AC Steels, 419-s to 426-s (Sep).
MARTIN, D. C.—Investigation of Residual Stresses by Use of Hydrogen Cracking—Part II, 401-s to 418-s (Sep).
MARTIN, W. R.—Irradiation Embrittlement of Welds and Brazes at Elevated Temperatures, 385-s to 392-s (Sep).
MASUBUCHI, K.—Investigation of Residual Stresses by Use of Hydrogen Cracking—Part II, 401-s to 418-s (Sep).
MEITZNER, C. F.—Microcracking and Delayed Cracking in Welded Quenched and Tempered Steels, 393-s to 400-s (Sep).
MELWORM, R. F.—Welded Attachments to Tubes—Experimentation, Analysis and Design, 454-s to 464-s (Oct).
MERRICK, G. J.—The Development of a Weld Intelligence System, 139-s to 144-s (Mar).
MIKUS, E. B.—High Remelt Temperature Brazing of Columbium Honeycomb Structures, 258-s to 265-s (Jun).
MILLER, D. R.—Measurement of Residual Stresses in a Heavy Weldment, 504-s to 514-s (Nov).

NEHRENBERG, A. E.—Weld Metal Cracking of Invar in Circular Patch Tests, 156-s to 160-s (Apr).
NELSON, F. G.—Shear Strengths of Aluminum Fillet Welds, 82-s to 84-s (Feb).
Fracture Characteristics of Welds in Aluminum Alloys, 321-s to 329-s (Jul).
NOEL, J.—Welding Tubular Connections: An Investigation of Stresses in T-Joints, 1-s to 12-s (Jan).
NORDHOLT, L. E.—The Development of a Weld Intelligence System, 139-s to 144-s (Mar).
NOTVEST, K.—Effect of Thermal Cycles in Welding D6AC Steel, 173-s to 178-s (Apr).

OWCZARKSI, W. A.—The Microstructure and Notch Impact Behavior of a Welded Structural Steel, 55-s to 65-s (Feb).
A Model for Heat-Affected Zone Cracking in Nickel Base Superalloys, 145-s to 155-s (Apr).
Technical Note: Behavior of Solute at Mobile Heat-Affected Zone Grain Boundaries, 356-s to 384-s (Aug).

PASSOJA, D. E.—Heat Flow in Electron Beam Welds, 379-s to 384-s (Aug).
PAYVAR, K.—Fatigue Tests of Structural Steels and Weldments in Notched Specimens, 161-s to 171-s (Apr).
PENSE, A. W.—The Creep-Rupture Properties of Pressure Vessel Steels—Part II, 357-s to 367-s (Aug).
POOLE, S. W.—Welding of Quenched and Tempered 9Ni – 4Co Steels, 465-s to 476-s (Oct).

RATHBONE, A. M.—Development of 170/200 ksi Yield-Strength Ni – Cr – Mo – Co Weld Metals for Constructional Steels, 525-s to 539-s (Dec).
RIES, G. D.—Welding of Quenched and Tempered 9Ni – 4Co Steels, 465-s to 476-s (Oct).
RILEY, J. J.—Annular Projection Welding of Tubular Sections to Low Carbon Steel Sheet, 289-s to 304-s (Jul).
ROBINSON, I. B.—Welding Aluminum Alloy 7039, 433-s to 444-s (Oct).
ROLF, R. L.—Shear Strengths of Aluminum Fillet Welds, 82-s to 84-s (Feb).
ROSENBERG, R. A.—Gas Metal-Arc Welding of Titanium Plate Using a Flux Backing Technique, 97-s to 102-s (Mar).
RUDY, J. F.—Study of Current Contact Tubes for Gas Metal-Arc Welding, 374-s to 378-s (Aug).
RUNDELL, G. R.—Weld Metal Cracking of Invar in Circular Patch Tests, 156-s to 160-s (Apr).

SAVAGE, W. F.—An Investigation of Hot Cracking in Haste-Alloy X, 13-s to 24-s (Jan).
The Microstructure and Notch Impact Behavior of a Welded Structural Steel, 55-s to 65-s (Feb).
Preferred Orientation in the Weld Fusion Zone, 85-s to 89-s (Feb).
Application of the Varestraint Technique to the Study of Weldability, 497-s to 503-s (Nov).
SHIRA, C. S.—Effects of High-Frequency Current in Welding Aluminum Alloy 6061, 490-s to 496-s (Nov).

SHORT, B. E.—An Analysis of the Nugget Formation in Projection Welding, 305-s to 313-s (Jul).
SIBLEY, C. R.—Technical Note: Stabilized Stainless Steel, 539-s and 560-s (Dec).
SLAUGHTER, G. M.—Weldability Evaluation of Advanced Refractory Alloys, 250-s to 257-s (Jun).
The Welding of New Solution-Strengthened Nickel-Base Alloys, 314-s to 320-s (Jul).
Irradiation Embrittlement of Welds and Brazes at Elevated Temperatures, 385-s to 392-s (Sep).
SMITH, J. T.—Development of Chromium Vanadium Alloys for Brazing Tungsten to Molybdenum, 135-s to 138-s (Mar).
STARK, L. E.—Weldability of Ti – 7Al – 2Cb – 1Ta Plate, 70-s to 80-s (Feb).
STOUT, R. D.—The Creep-Rupture Properties of Pressure Vessel Steels—Part II, 357-s to 367-s (Aug).
Microcracking and Delayed Cracking in Welded Quenched and Tempered Steels, 393-s to 400-s (Sep).
SULLIVAN, C. P.—A Model for Heat-Affected Zone Cracking in Nickel Base Superalloys, 145-s to 155-s (Apr).

TERRILL, J. R.—Diffusion of Silicon in Aluminum Brazing Sheet, 202-s to 209-s (May).
TOPRAC, A. A.—Welding Tubular Connections: An Investigation of Stresses in T-Joints, 1-s to 12-s (Jan).
TUCKER, M. S.—Temperature-Dependence of the Rate of Immunization Against Underbead Cracking in an Arc-Welded Low-Alloy Steel, 368-s to 373-s (Aug).

UCHIDA, J. M.—Welding Evaluation of New High-Strength Quench and Temper Steels, 31-s to 40-s (Jan).

VASARHELYI, D. D.—Fatigue Tests of Structural Steels and Weldments in Notched Specimens, 161-s to 172-s (Apr).
VENARD, J. T.—Elevated Temperature Mechanical Properties of Welds in a Ni – Mo – Cr – Fe Alloy, 103-s to 110-s (Mar).
VRTEL, J.—Measurement of Fracture Toughness in Low-Alloy Mild Steels, 272-s to 283-s (Jun).

WASHBURN, D. F.—Concerning the Influence of Dissolved Hydrogen on the Austenite-Martensite Transformation in Two Steels, 330-s to 333-s (Jul).
WOOD, D. S.—The Effect of Creep on the High Strain Fatigue Behavior of a Pressure Vessel Steel, 90-s to 98-s (Feb).

YENISCAVICH, W.—The Effects of Fissures on the Fatigue Strength of Ni – Cr – Fe Alloys, 111-s to 123-s (Mar); A Correlation of Ni – Cr – Fe Alloy Weld Metal Fissuring With Hot Ductility Behavior, 344-s to 355-s (Aug).
YOUNT, R. E.—Structural Stability of Welds in Columbium Base Alloys, 227-s to 234-s (May).

Now for 1967 . . . slip cases for readers of the Welding Journal. Only $3.00 each.

◊ Handsome, rugged, custom designed slip cases to keep your copies orderly and easily accessible for future reference.

◊ Each slip case holds 12 issues (yearly volume) of the Journal. Stands upright—Journal issues slip in and out easily.

◊ Made from the finest quality binders board, covered with washable simulated leather. Black sides with front in Decorator's red. Title and AWS symbol imprinted in 23K gold. Gold foil provided with each slip case for the user to insert date and volume in spaces provided within seconds.

◊ An attractive addition to your professional library. Perfect for the home—perfect for your office.

Order prepaid or postpaid from: Welding Journal, 345 East 47th St., New York City 10017. Add 5% sales tax on New York City orders. Outside USA—$4.00